WELDING CURTAINS

WELSPRING UNIVERSAL An ISO 9001:2008 Company



PVC WELDING CURTAINS

ALL COLOURS ARE UV STABILIZED AND FLAME RESISTANT

PVC Welding Curtains: Use and application

Welding curtains are useful in industrial/contract sites where there is arc welding or metal grinding activity that generates sparks. Since sparks or welding arc light is harmful to the naked eye for workers nearby, or even passing by, it is important that for visual safety, welding curtains be used. Approved & tested welding curtains would provide adequate visual protection for people in the near proximity of welding/grinding activity, where exposure due to the high intensity welding spark light, could be harmful.

Meeting of CE EN1598-2011 norms for welding curtains ensures that the curtains material has acceptable transparency, reflectance, UV protection and flame resistance.

PVC WELDING CURTAIN COLOURS AVAILABLE



UNMACHINED FULL ROLLS OF 5FT/6FT WIDTH

SP-C5015P-Y 5ft Width x 164ft Length	SP-C5015P-O 5ft Width x 164ft Length	SP-C5015P-BLU 5ft Width x 164ft Length	SP-C5015P-GY 5ft Width x 164ft Length		64ft = 150cm x 50n 64ft = 180cm x 50n	
SP-C50MP-Y	SP-C50MP-O	SP-C50MP-BLU	SP-C50MP-GY	SP-C50MP-R	SP-C50MP-G	SP-C50MP-EDB
6ft Width x 164ft Length	6ft Width x 164ft Length	6ft Width x 164ft Length	6ft Width x 164ft Length	6ft Width x 164ft Length	6ft Width x 164ft Length	4.6ft Width x 164ft Length

CURTAIN PARTITIONS (see below for models & sizes)










A UNDIVIDED PARTITIONS using 75FT (23 m) CURTAIN ROLLS WITH EYELETS on one side



MODEL	Colours	Roll width	Roll length	Roll weight (approx)
SP-C57533P-Y	Yellow	5ft (150cm)	75ft (22.8m)	17kg (37Lb)
SP-C57533P-O	Orange	5ft (150cm)	75ft (22.8m)	17kg (37Lb)
SP-C57533P-GY	Grey	5ft (150cm)	75ft (22.8m)	17kg (37Lb)
SP-C57533P-BLU	Blue	5ft (150cm)	75ft (22.8m)	17kg (37Lb)
SP-C675P-Y	Yellow	6ft (180cm)	75ft (22.8m)	20kg (44Lb)
SP-C675P-O	Orange	6ft (180cm)	75ft (22.8m)	20kg (44Lb)
SP-C675P-GY	Grey	6ft (180cm)	75ft (22.8m)	20kg (44Lb)
SP-C675P-BLU	Blue	6ft (180cm)	75ft (22.8m)	20kg (44Lb)
SP-C675P-R	Red	6ft (180cm)	75ft (22.8m)	20kg (44Lb)
SP-C675P-G	Dark Green	6ft (180cm)	75ft (22.8m)	20kg (44Lb)
SP-C4675P-EDB	Opaque	4.6ft (140cm)	75ft (22.8m)	17kg (37Lb)

PVC STRIP PARTITIONS


USE & APPLICATION

Net Weight: 650gm

New

PVC partitions are useful in industrial/contract sites where arc welding or metal grinding activity can cause harm. The strip partitions provide flexibility of user/machine/equipment movement thru the partitioned area. The strips allow a walk thru partition for free movement thru them, without damage to person or machine.

B THIN STRIP PARTITIONS **WALK THRU**



Material: PVC strips

Strip Size: 325mm width x 0.35mm thickness

(13" width x 0.014mil thickness)

: Yellow, Orange, Blue, Gray & Dark Green

Minimum order width = 900mm (36")

Model	Kit Size	Height
SP-SC35900X1.8		
SP-SC35900X3	0.35mm x 900mm x 3m	3m
SP-SC35900X4	0.35mm x 900mm x 4m	4m
SP-SC35900X5	0.35mm x 900mm x 5m	5m
SP-SC35900X6	0.35mm x 900mm x 6m	6m
SP-SC35900X8	0.35mm x 900mm x 8m	

Features:

• Each 325mm strip has 3 eyelets

· Specify curtain colour when ordering

3 hanging rings are included

• Hang strip curtain anywhere using suitable pipe or hooks

To Order:

1) Select model # from table on left, based on required Strip Height: 3m, 4m, 5m, 6m or 8m (10ft, 15ft, 20ft, 25ft)

2) Specify Partition Width: in multiples of 300mm (12") Minimum order width = 900mm (36")

THIN STRIP WELDING CURTAIN

are supplied with:

- Eyelets on top side
- Nylon ties to attach to top bar
- Strip size 325mm x 1750mm (13"x6ft) approx
- Available in 5 curtain colours except opaque

Sizes	Frame & Curtain	Curtain Only
Full Height	Pkng: 1 set/box	Pkng: 10pcs/box
	Model	Model
6' x 6' (180x180cm)	SP-SFC3566	SP-SC3566
8' x 6' (240x180cm)	SP-SFC3586	SP-SC3586
10' x 6' (300x180cm)	SP-SFC35106	SP-SC35106

WALK THRU

Strip curtain is sold as curtain only or frame + curtain select model from table on left 🦍 4 Castors kit optional (see pg. 36)



Net Weight: 1.900kg

PVC STRIP PARTITIONS

USE & APPLICATION

PVC partitions are useful in industrial/contract sites where arc welding or metal grinding activity can cause harm. The strip partitions provide flexibility of user/machine/equipment movement thru the partitioned area. The strips allow a walk thru partition for free movement thru them, without damage to person or machine.

© THICK STRIP PARTITIONS

WALK THRU



Material: PVC Strips

Strip Size: 200mm (8") width x 2mm thickness

Colour : Clear, Yellow, Orange

Minimum order width = 0.5m (500mm)

One SKU Contains: Complete package to make a 0.5m (20") wide hanging partition:
a) Hanger Metal Strip Width: 0.5m (20") x 1 Pc.
b) Strip Bracket Width: 195mm (3¾") x 3 Pcs.

c) PVC Strip of required height pre-attached via nut/bolt

Model	Kit Size	Height
SP-SC2500X1.8	2mm x 500mm x 1.8m	1.8m
SP-SC2500X3	2mm x 500mm x 3m	3m
SP-SC2500X4	2mm x 500mm x 4m	4m
SP-SC2500X5	2mm x 500mm x 5m	5m
SP-SC2500X6	2mm x 500mm x 6m	6m
SP-SC2500X8	2mm x 500mm x 8m	8m
SP-SC2200X50	2mm x 200mm x 50m	50m (5

To Order Specify 1 & 2 Below:

1) Partition Width: in multiples of 0.5m (20")

Minimum order width = 0.5m (500mm)

2) PVC Strip Height:

Metric: 3m, 4m, 5m, 6m, 8m

P-SC2200X50 2mm x 200mm x 50m 50m (50m is full roll only - no brackets or hardware)

THICK STRIP WELDING CURTAIN

are supplied with:

- Eyelets on top side
- Nylon ties to attach to top bar
- Strip size 200mm x 1750mm (8"x6ft) approx
- Available in Clear, Yellow & Orrange colours

Sizes	Frame & Curtain	Curtain Only
Full Height	Pkng: 1 set/box	Pkng: 10pcs/box
	Model	Model
8' x 6' (240x180cm)	SP-FC266	SP-SC266
10' x 6' (300x180cm)	SP-FC2106	SP-SC2106

WALK THRU



Welspring makes several models of welding curtains as listed below.

- 1. Welspring made welding curtains are made from 14 mil (0.35mm) PVC film, and treated with special additives for UV Stability and Flame resistance.
- 2. Meeting of EN 1598-2011 norms for welding curtains ensures that the curtain material has acceptable transparency, reflectance, UV protection and flame
- 3. Some colours, particularly for the USA/Canada market, meet UV stability and FR norms only. They may not meet the transparency & reflectance requirements of EN 1598, and hence may not be compliant with CE norms. Look for the CE mark under colour available on pg.32
- 4. Actual curtain sizes are slightly less than the metal frame size, as they are made to suit the metal frames that they fit in.
- 5. Special custom to order sizes can also be supplied.











Loose Curtain Full Height (180cm)

are supplied with:

- · Eyelets on top side.
- · Steel rings for hanging curtain.
- · Side buttons for joining extension curtain.
- · Curtain height 1750mm (6ft)
- · Available in 5 curtain colours
- · Specify curtain colour when ordering.

Castors kit optional (see pg. 36)

Sizes	Curtain Only	Frame & Curtain
Full Height	Pkng: 10pcs/box	Pkng: 1set/box
	Model	Model
4' x 6' (120x180cm)	SP-C46PF	SP-FC46PF
6' x 6' (180x180cm)	SP-C66PF	SP-FC66PF
8' x 6' (240x180cm)	SP-C86PF	SP-FC86PF
10' x 6' (300x180cm)	SP-C106PF	SP-FC106PF

• Frame only also available

CE

Loose Curtain Short Height (140cm)

are supplied with:

- · Eyelets on top side.
- Steel rings for hanging curtain.
- Side buttons for joining extension curtain.
- Curtain height 1400mm (4.5ft)
- · Available in 6 curtain colours
- · Specify curtain colour when ordering.
- Castors kit optional (see pg. 36)

Sizes	Curtain Only	Frame & Curtain
Full Height	Pkng: 10pcs/box	Pkng: 1set/box
	Model	Model
4' x 4.5' (120x140cm)	SP-C445PF	SP-FC445PF
6' x 4.5' (180x140cm)	SP-C645PF	SP-FC645PF
8' x 4.5' (240x140cm)	SP-C845PF	SP-FC845PF
10' x 4.5' (300x140cm)	SP-C1045PF	SP-FC1045PF

• Frame only also available

CE

Tie-down Curtain Full Height (180cm)

are supplied with:

- Eyelets on 4 sides.
- · Nylon ties to tie to frame
- Curtain height 1750mm (6ft)
- Available in 5 curtain colours
- ring.

Specity	curtain coloi	ur when	order
Castors	kit optional	(see pg.	36)

Sizes	Curtain Only	Frame & Curtain
Full Height	Pkng: 10pcs/box	Pkng: 1set/box
	Model	Model
4' x 6' (120x180cm)	SP-C46PNF	SP-FC46PNF
6' x 6' (180x180cm)	SP-C66PNF	SP-FC66PNF
8' x 6' (240x180cm)	SP-C86PNF	SP-FC86PNF
10' x 6' (300x180cm)	SP-C106PNF	SP-FC106PNF

• Frame only also available

Tie-down Curtain Short Height (140cm)

are supplied with:

- Eyelets on 3 sides.
- Nylon ties to tie to frame
- Curtain height 1400mm (4.5ft)
- · Available in 6 curtain colours
- · Specify curtain colour when ordering.
- Castors kit optional (see pg. 36)

Sizes	Curtain Only	Frame & Curtain
Full Height	Pkng: 10pcs/box	Pkng: 1set/box
	Model	Model
4' x 4.5' (120x140cm)	SP-C445PNF	SP-FC445PNF
6' x 4.5' (180x140cm)	SP-C645PNF	SP-FC645PNF
8' x 4.5' (240x140cm)	SP-C845PNF	SP-FC845PNF
10' x 4.5' (300x140cm)	SP-C1045PNF	SP-FC1045PNF

• Frame only also available

Cotton Canvas Duck (olive) Curtain Full Height (180cm

are supplied with:

- New • Eyelets on 4 sides.
- · Nylon ties to tie to frame
- · Curtain height 1750mm (6ft)
- · Flame retardant treated
- Available in olive colour

For all curtain models above			
Packing	Curtains only 10pcs/Box	Curtain With Frame 1 set/box	

Sizes	Curtain Only	Frame & Curtain		
Full Height	Pkng: 10pcs/box	Pkng: 1set/box		
	Model	Model		
4' x 6' (120x180cm)	SP-C46CDO	SP-FC46CDO		
6' x 6' (180x180cm)	SP-C66CDO	SP-FC66CDO		
8' x 6' (240x180cm)		SP-FC86CDO		
10' x 6' (300x180cm)	SP-C106CDO	SP-FC106CDO		

• Frame only also available



COMPLETE WELDING BOOTH WITH CURTAIN

Our welding booths are collapsible & portable enclosures that can be carried to an industrial / contract construction site where there is arc welding or metal grinding activity that generates sparks. Since sparks or welding arc light is harmful to the naked eye for workers nearby, or even passing by, it is important for visual safety, that welding booths be used in such areas. A welding booth provides a cordoned off area, for adequate visual protection for people in the near proximity of welding/grinding activity, where exposure due to the high intensity welding spark light, could be harmful.

Our welding booths are made of steel metal frames and PVC welding curtains. For European customers, compliance to EN 1598 norms is necessary in welding curtains. Look for the CE sign in "available colours" choices below.

SPECIAL

- Each section easily slides in for locking. Pipe joints have screwless push fit snap locks
- No tools required for assembly. FEATURES
- Made of 1" (25mm) round tube

FULL CURTAIN MODEL BOOTH



THIN STRIP PARTITION BOOTH New Walk Thru Curtain Doorway



Booths are available in 2 standard

dimensions

Booth Size:

- (1) 6x6x6FT (180x180x180cm)
- (2) 8x8x6FT (240x240x180cm)

Packing Box Size:

6x6FT Booth: 38" x 111/2" x 10" (965 x 290 x 255mm) 8x8FT Booth: 38" x 111/2" x 111/2" (965 x 290 x 290mm)

6 Models Available	Description	Gross Weight	Qty in 20 ft FCL
SP-WBC666	Welding booth full height curtains 6x6x6FT (180x180x180cm)	30.900 Kg	432 Pcs
SP-WBC886	Welding booth full height curtains 8x8x6FT (240x240x180cm)	36.900 Kg	376 Pcs
SP-WBC666STR	Welding booth full height curtains 6x6x6FT (walk thru)	31.200 Kg	432 Pcs
SP-WBC886STR	Welding booth full height curtains 8x8x6FT (walk thru)	37.200 Kg	376 Pcs
SP-WBCDO666	Welding booth full height curtains 6x6x6FT (cotton duck fabric)	31.700 Kg	432 Pcs
SP-WBCDO886	Welding booth full height curtains 8x8x6FT (cotton duck fabric)	38.000 Kg	376 Pcs

MAKE YOUR OWN WELDING BOOTHS 4 curtain frames Frame Connectors SP-WFC22 2 curtain frames using top bar kit using frame connectors For strip curtain for the top bar kit, see pg33 Frame Connecting Top Bar Kit available in 3 lengths Curtain Frame SPFCTB-6 (6ft, 1800mm top bar kit) Curtain Frame Curtain Frame Curtain Frame Curtain Frame Curtain Frame SP-FCTB-8 + (8ft, 2400mm top bar kit) SP-FCTB-10 (10ft, 3000mm top bar kit)

ELDING CURTAINS & ACCESSORIES

Welding Curtain Swivel Arms Swivel Arms: Swivel Arm • For extending welding screen coverage

- · Create 3-sided welding booths
- Easy fit no tools required
- Swivel arms are supplied with 1800mm/6ft height curtains
- 2 models available:




Table Top Welding Curtains • For portable welding safety & protection (folds & fits into box) • Magnetic Base Curtain Frame SP-FC3030TT For secure hold on welding table Table top curtain · No assembly required Magnetic Base Box size: 31 x 31 x 3½ **Curtain Frame** • Net weight: 9.00 kgs 15" · Spare curtain available-SP-C3030TT 30 For 7 available colours see pg 32 9 magnets in frame prevents frame from toppling For Welding Table Not Included ee pg. 43 77 SP-FC3636TT 10.200 kg 36" width also available SP-C3636TT **New** Spare Curtain



