

AMI[®] // ARCAIR[®] // EXATON[™] // GASARC[®] // STOODY[®] // TBI[®] // TWECO[®] // VICTOR[®]





PERSONAL PROTECTIVE EQUIPMENT PORTFOLIO OVERVIEW

3RD FEBRUARY, 2022

WHY IS PPE NECESSARY?

- PPE protects us from harmful operational hazards like:
 - Fumes and gases
 - Fire and spatter
 - Electricity
 - Electromagnetic fields
 - UV, IR, visible light radiation





PERSONAL PROTECTIVE EQUIPMENT





HEAD & FACE PROTECTION



Proprietary & Confidential | ESAB Welding & Cutting Products

SAVAGE A40 AIR WITH PAPR

SAVAGE A40 AIR

- Welding Helmet with provision for air supply
- ADF with True color technology
- **ESAB PAPR Unit (Powered Air purifying Respirator)**
 - PCB board technology
 - Heavy duty protection from fume and dust

Specifications	Savage A40 AIR with PAPR
Air Flow	170 – 220 LPM
Battery Time	Upto 8 hrs at 220 LPM
Filter	P3 filter and Pre-filter
Certifications	CE EN 12941
Dimensions L x W x H	185 x 100 x 160 mm
Weight	1 kg
Alarms	Blocked filter & Low battery



ESAB India Limited – Marketing, 2022-02-03



- GMAW, SMAW, GTAW, PAW, PAC, Grinding, Cutting
- Fabrication, PEB, Ship Building, Automotive, Construction



SAVAGE A40

- Wide Vision with True color technology
- Light weight shell.
- Exceptional Optical class, Grind mode in Shade 4
- Replaceable battery

Specifications	Savage A40	
Viewing Area	100 x 50 mm	
Sensors	4	
Switch Time	0.07 ms	
Weight, g	500 gms	
Shell Material	High impact resistant nylon	
Optical Class	1/1/1/2	
Adjustable Headgear	Infinitely Adjustable	
Shade Control	DIN 4, 9-13	
Standards	CE, EN175, EN379 ANSI, CSA, AS/ NZS	
Grind Button	Externally activated	
Solar Cell Assist Li Batteries	Yes, replaceable	
Others	Low battery alarm	

PROFESSIONAL AUTO DARKENING HELMET

ESAB India Limited – Marketing, 2022-02-03



- GMAW, SMAW, GTAW, PAW, PAC, Grinding, Cutting
- Fabrication, PEB, Ship Building, Automotive, Construction



A20 - AUTO DARKENING HELMET

- Light weight
- High performing ADF with superior optical class
- Designed for first time users
- Sensitivity & Delay Manual control

Specifications	Savage A40
Viewing Area	96 x 39 mm
Sensors	2
Switch Time	0.1 ms
Weight, g	470 gms
Optical Class	1/1/1/2
Shade Control	DIN 4, 9-13
Standards	CE, EN175,
Grind Button	
Solar Cell Assist Li Batteries	Yes

LIGHT IN WEIGHT. STRONG IN PERFORMANCE.

ESAB India Limited – Marketing, 2022-02-03



- GMAW, SMAW, GTAW
- Fabrication, PEB, Ship Building, Automotive, Construction



ECO-ARC II

- High impact resistance Poly-propylene shell
- Outstanding facial protection All positions welding
- Light Weight
- Flip-up Window

Specifications	Eco Arc II
Viewing Area	83 x 108 mm
Weight, g	484 gms
Shell Material	Poly propylene
Adjustable Headgear	4 Point Adjustable
Standards	CE, EN 175



Application & Industry

- GMAW, SMAW, GTAW,
- Fabrication, PEB, Ship Building, Construction

ADJUSTABLE HEADGEAR FOR USER COMFORT IN ALL POSITIONS



HAND SHIELD ARMOUR

- Fiber glass shell
- Concealed handle
- Flame retardant
- Durable

Specifications	Hand Shield Armour
Viewing Area	83 x 108 mm
Weight, g	410 gms
Shell Material	Glass filled nylon
Replaceable Front Cover	Yes



Application & Industry

- GMAW, SMAW, GTAW,
- Fabrication, PEB, Ship Building, Construction

ESAB

RELIABLE PROTECTION

SAFETY HELMETS

- 8-point harness for improved safety and comfort
- Ratchet type and Pin type (Nape Type)
- Sturdy and comfortable chin strap
- HDPE Safety Helmets

Specifications	Face Shield
Colour	White, Yellow & Blue
Shell & Harness	HDPE & LDPE
Sweatband	Cotton with foam
Chin Strap	Nylon
Circumference range	520 – 600 mm
Adjustment	Pin lock & Ratchet type
Weight with Harness	362 gms
Helmet Shell	Non-flammable



Industrial use.

FIRST LINE OF DEFENCE AGAINST HEAD INJURIES



WELDER'S GOGGLE FG2

- Snug fit PVC protective goggle with elastic belt
- Equipped with ventilators, holding rings with clear lens
- Best suited for gas welding, brazing and gas cutting

Specifications	Goggle FG2
Shade	DIN Shade 5
Lens material	Polycarbonate
Lens Holder	ABS Plastic
Shell	Flexible PVC



- **Application & Industry**
- Gas cutting
- Fabrication, PEB, Ship Building, Construction

RIGHT SHADE FOR EYE PROTECTION DURING GAS CUTTING



FACE SHIELD

- Tilting visor for face protection during grinding
- Colorless transparent acrylic
- Distortion free view

Specifications	Face Shield
Viewing Area	355 x 178 mm
Shell Material	Colorless transparent acrylic
Replaceable Front Cover	Yes
Others	Flame retardant shield



- **Application & Industry**
- Grinding
- Fabrication, PEB, Ship Building, Construction

CLEAR VIEW OF GRINDING WITH COMPREHENSIVE FACE COVER



ECO SAFETY SPECTACLES

- Extremely lightweight and Stylish
- Protection against UV radiation
- Conforms to CE EN 166-F



Eco Smoked

Eco clear

Proprietary & Confidential | ESAB Welding & Cutting Products

Specifications	Eco Smoked	Eco Clear
Shade	Smoked	Clear
Lens material	Lens material Polycarbonate	
Suitable for	Strong ambient light	Ambient light



- Drilling, chipping and metal working
- Fabrication, PEB, Ship Building, Construction

ESAB *

STYLISH AND SPORTY SPECTACLES

PROTECTIVE CLOTHING



DURAAPRON

- Superior quality split leather, reinforced with rivets.
- Heat resistant threads
- Leather neck loop and polyester chest straps

Specifications	Dura Apron
Material	Split Leather
Size/ Dimensions	Large & Medium
Protection	Upper Body
Stitching	Aramid thread
Temperature Sustenance ° C	150



Application & Industry

- GMAW, SMAW, GTAW, PAW, PAC, Grinding, Cutting
- Fabrication, PEB, Ship Building, Automotive, Construction

ESAB

Proprietary & Confidential | ESAB Welding & Cutting Products

SAFETY WITH ELEGANCE

DURA HAND-SLEEVE

- Split leather
- Heat resistant threads
- Elasticated cuff, knitted wrist and Velcro arm fastener

Specifications	Welding Sleeve
Material	Split Leather
Size/ Dimensions	47 cm
Protection	Arm
Stitching	Aramid Threads
Temperature Sustenance ° C	150





Application & Industry

- GMAW, SMAW, GTAW, PAW, PAC, Grinding, Cutting
- Fabrication, PEB, Ship Building, Automotive, Construction

PROTECTION IN POSITIONAL WELDING & CONSTRAINED SPACES



DURA LEG-GUARD

- High-quality split leather
- 15 cm long Velcro fastening
- Heat resistant threads. Riveted joints.

Specifications	Dura Leg Guard
Material	Split Leather
Size/ Dimensions	15 cm
Protection	Foot
Stitching	Aramid Threads
Temperature Sustenance ° C	150

ADDED PROTECTION FOR THE FEET

ESAB India Limited – Marketing, 2022-02-03



- GMAW, SMAW, GTAW, PAW, PAC, Grinding, Cutting
- Fabrication, PEB, Ship Building, Automotive, Construction



WELDING JACKET LW

- Superior quality top grain leather
- Stitched with aramid threads for longer life
- Protects upper body from heat & spatter

Specifications	Welding Jacket LW
Material	Top grain Leather
Protection	Upper Body
Stitching	Kevlar
Temperature Sustenance ° C	150



Application & Industry

- GMAW, SMAW, GTAW, PAW, PAC, Grinding, Cutting
- Fabrication, PEB, Ship Building, Automotive, Construction

ESAB

SAFETY WITH COMFORT



WELDING YOKE

- Split leather
- Protects chest, arms and shoulders
- Eliminates use of Hand Sleeves

* ESAB	

Specifications	Welding Yoke
Material	Split Leather
Protection	Chest, Arms & Shoulder
Stitching	Aramid thread
Temperature Sustenance ° C	150

- Application & Industry
- GMAW, SMAW,
- Fabrication, PEB, Ship Building

SAFETY IN POSITIONAL WELDING & CONSTRAINED SPACES



REFLECTIVE VESTS

- High visibility vests
- Fluorescent Nylon net with 2"wide reflective tape
- Colour matched Hook n Loop strips for locking

Specifications	Reflective vests
Material	Nylon
Colours	Fluorescent Green & Red
GSM	95
Fluorescent material	0.72 Sq. M
Reflective Tape	0.11 Sq. M



Application & Industry

Welders, Grinders & Material handling professionals

VISIBILITY FROM A DISTANCE EVEN IN LOW LIGHT



SAFETY SHOE DDS

- Dual Density PU Sole with genuine split leather upper
- Steel toe withstands 200 J impact
- Anti slip, Antistatic, Acid and Alkali resistant sole
- Conforms to IS 15298 II specifications

Specifications	Safety Shoe DDS
Shoe Upper	Split leather
Sole	Dual Density PU
Steel toe cap	200 J impact resistant
Out sole design	Cleated
Size	6 to 12



Application & Industry

All Industries

ADDS VALUE TO YOUR FEET



HAND PROTECTION



DURA HAND-GLOVES

- Heavy-duty chrome leather
- Heat resistant threads, fully welted fingers
- Reinforced thumb crotch
- Cotton inner lining for comfort

Specifications	Dura Hand Gloves
Material	Split Leather
Size/ Dimensions	L, XL, XXL
Protection	Hand
Stitching	Aramid





Application & Industry

- GMAW, SMAW, PAW, PAC, Cutting
- Fabrication, PEB, Ship Building, Automotive, Construction

SAFE HANDS. SAFE WORK



TIG PROFESSIONAL GLOVES

- Soft nappa grain leather
- Heat Resistant thread
- Reinforced thumb crotch, wrap around first finger.
- 15 cm extended cuff for safety.

Specifications	TIG Professional Hand Gloves
Material	Top Grain Leather
Size/ Dimensions	L
Protection	Hand
Stitching	Aramid thread
Temperature Sustenance ° C	150



Application & Industry

- GTAW
- Fabrication, Ship Building, Automotive

SAFETY WITH DEXTERITY



TIG HAND GLOVES

- Yellow grain leather with cotton lining
- Heat Resistant thread
- Elasticated cuff
- High flexibility and comfort

Specifications	TIG Hand Gloves
Material	Top Grain Leather
Protection	Hand
Stitching	Aramid Thread
Temperature Sustenance ° C	150



Application & Industry

- GTAW
- Fabrication, Ship Building, Automotive

SNUG-FIT FASHIONABLE TIG GLOVES



HR HAND GLOVES

- Top grade select leather
- Heat Resistant thread
- Special insulated lining for heat resistance.

Specifications	HR Hand Gloves
Material	Split Leather
Protection	Hand
Stitching	Aramid thread
Temperature Sustenance ° C	350



Application & Industry

- GMAW, SMAW, PAW, PAC, Cutting
- Fabrication, PEB, Ship Building, Foundries

ESAB *

Proprietary & Confidential | ESAB Welding & Cutting Products

PROTECTION AT HIGHER TEMPERATURES

HEAVY DUTY HAND GLOVES

- Chrome leather for knuckle protection
- Wing thumb, Vein patch and rubberized cuff
- Elasticated wrist tensioner
- Special cotton lining on the palm for extra protection

Specifications	Heavy duty Hand Gloves
Material	Split Leather
Protection	Hand



Application & Industry

- Material handling
- All industries

SAFETY FOR ALL





www.esabindia.com

AMI® // ARCAIR® // EXATON // GASARC® // STOODY® // TBI® // TWECO® // VICTOR®